



Product Overview

We are equestrian

E30 | E40 | E50

ECORASTER® - Specifications

ECORASTER® E50

Grid Height: 50 mm
Wall Thickness: 2,5 mm
Weight Per m²: 6,57 kg



The super-strong, indestructible E50 floor grille withstands even the highest loads thanks to its robust design and wall thickness of 5 mm. A real powerhouse for use in particularly high-use paddocks and riding areas.

ECORASTER® E40

Grid Height: 40 mm
Wall Thickness: 3,6 mm
Weight Per m²: 5,67 kg



Due to its robust construction, our ECORASTER® E40 is optimally suited for use even without overlapping. This feature makes it a hygienic and easy-to-maintain fastening solution, especially in the paddock area or in other cleaning-intensive areas.

ECORASTER® E30

Grid Height: 30 mm
Wall Thickness: 4,4 mm
Weight Per m²: 5,4 kg



With the E30 we offer you a high-end grid for the paddock and open-stable area. Thanks to the innovative grid construction and the incorporation of high-quality aggregates, this floor grid meets all requirements in paddock construction - less wear, even more safety and absolute dimensional stability.



The universal bracket allows installation on embankments and sloping surfaces - specially developed for the ECORASTER® system. The universal angle allows stable and secure cohesion of the paved areas. Especially in the sloping terrain of your equestrian facility,

Easily lay ECORASTER® in the curve with just a few clicks. Thanks to the curve element, you can effortlessly and safely lay our ECORASTER® E50, E40 and E30 even on uneven terrain.

- > Riding arenas for every discipline
- > Paddocks
- > Coverall areas for group turnout
- > Washing, feeding and drinking places

- > Stables and breezeways
- > Indoor & outdoor arenas
- > Outdoor tracks
- > Round pen

- > Loading areas
- > Pasture paths
- > Racecourses

Complete Flooring For Every Discipline

Ecoground® - a perfectly tailored riding floor for indoor and outdoor use

Ecoraster® - highest riding comfort

Ecoraster®, is the "all-in-one" riding floor system for every popular riding sport.

On the basis of a professionally manufactured substructure, our ECORASTER® floor grids provide the optimal separation layer for the long-term drainage and water regulation function. The proground® brand tread layer, which is individually tailored from aggregates and riding sands, gives your riding floor the desired functions and ensures that your ecoground® retains an elastic and impermeable soil structure even in adverse weather conditions.

Advantages

- > Comfort for horse and rider
- > No puddles and mud development
- > Creates security
- > Weatherproof, no matter the season
- > Easy maintenance
- > Low hoofbeat formation
- > Absolutely environmentally neutral
- > Indoor and outdoor version
- > Water regulation and drainage function
- > Elastic and durable

For a variety of applications

- > Dressage riding arenas
- > Spring-riding areas
- > Western riding arenas
- > Competition events
- > Riding floors for temporary events Lunging Circle, Round Pen
- > Horse Walker
- > Indoor / Outdoor

ECORASTER® Equestrian

ECORASTER® is the world's best-selling floor grid for all types of equestrian applications.

For more than 20 years ECORASTER® has been one of the most reliable and successful floor fixing systems. The ECORASTER® Equestrian Sports System has been specially developed for equestrian applications, in particular for the attachment of riding arenas, paddocks, round pens and horse walkers. TÜV-certified brand quality sets standards in quality, functionality, price and performance.

Ecoraster® - All About Your Riding

The right product for every application.

1. Outdoor arenas for all disciplines

ECORASTER® floor grating E40, complete riding floors, footing, proground® riding sands, additives protherm® and protex®

2. Indoor arenas for all disciplines

ECORASTER® floor grating E40, ecoground® complete flooring, proground® footing Jump, Dressage, Western sports and pleasure riding, proground® aggregates protherm®

3. Horse walkers and horse walkways floors

ECORASTER® floor grating E40, ECORASTER®]

4. Washplace and floor space attachment ECORASTER® floor grating E40, E50, ECORASTER®

5. Courtyard, loading point and driveway attachment

ECORASTER® floor grating E40, E50

6. Paddock floors

ECORASTER® floor grille E40

7. Pastures, feeding grounds

8. Roundpen floors





Developing sustainable solutions for permeable ground reinforcement.



German engineering – Made in Canada.
Questions? Please give us a call:

Tel: 403.877.5883

Email: ppoulton@b8ventures.com

B8 VENTURES LTD. 3725 61 Avenue, Innisfail,
Alberta, T4G 1S8

www.b8ventures.com



B8 VENTURES 

ECORASTER® is a PURUS PLASTICS GmbH brand.
Subject to change without prior notice. E. & O. E.